

100 Network Figure 1

AUS000181US1






Figure 2

AUS000181US1









Figure 4A



The Application's Working Definition

£ 7,5

17

fij

The Application's Runtime Representation

400

Figure 4B

```
<requirements>
                      <platform>
      502
                         cprocessor>xx86/processor>
                         <os>"Windows 95" or "Windows 98" or "Windows NT" </os>
                       </platform>
11
                       <services>
£.]
                         <service>TCP/IP</service>
504
                         <service>File System
M
                       </services>
                       eqs>
fu
                         <application>Acrobat</application>
ĩ0
      506
                       </prereqs>
m
                       <registryEntry name="HKEY_CURRENT_USER/Software/X.Com">
£ .h
                         <key>DebugPort<value>TCP/IP Port#</value></key>
                         <key>Java VM<value>x<test>x gt *1.1.6"</test></value></key>
      508
                       </registryEntry>
                       <directory name="programRoot"/>
                       <directory name="jclass">programRoot"/jclass"</directory>
       510
fu
                       <environmentVar name=path>
                         <add>bin</add>
(1)
                       </environmentVar>
                       <environmentVar name=classpath>
      512
                         <add>jclass"/jappNetUI.jar"</add>
                         <test>programRoot"/testClasspath"</test>
                       </envioronmentVar>
                   <requirements/>
```

Figure 5





Figure 6



The User's Computing Environment

Figure 7A




Figure 7B




Figure 8




Figure 9




Figure 10




Figure 11